



# EQUINE SPREADERS



Clean stalls  
in **half the time!**

Eliminates that back-breaking wheelbarrow and smelly manure piles  
Recycled nutrients improve pastures

[MillcreekSpreaders.com](http://MillcreekSpreaders.com)

# Clean stalls in half the time

Now you can take the heavy lifting and hard work out of stall cleaning



Don't you just hate stall cleaning time? That heavy wheelbarrow is so hard to lift, and even harder to maneuver out of the barn. Then a mighty backbreaking heave to dump the load on that smelly pile. Oh yeh...that stinky old fly-infested manure pile!

**Forget all that. Here's a better way!**



Your garden tractor, ATV or utility vehicle pulls a Millcreek Spreader right to the stall. For tight spaces our exclusive Easy-Roll Dolly Wheel™ lets you easily push the Spreader to the stall for easy loading. Then just load your Millcreek Spreader instead of the wheelbarrow.



With the Spreader attached to your vehicle, you drive to the field, engage the Feather Touch Levers™ and you're recycling natural fertilizer. Better yet, you're done in just minutes!

**No wheelbarrow!**

**No aching back!**

**No manure piles!**



“What a great product. I love it. Anyone with a barn should have one.”

- Charlene Haber, Lillian, Alabama

# Millcreek Supreme™

THE FINEST COMPACT EQUINE SPREADER YOU CAN BUY

Millcreek Supreme is our name for Model 27+ and Model 37+ Spreaders that feature stainless steel chain, slats, hardware and the only stainless steel beater you've ever seen. We put Rhino Lining® inside and outside the box! This is the Spreader you buy to last 10, 12, 15 years or more. It operates like a dream and you'll love owning it.



### Dolly Wheel Jack Stand

With this feature you never have to lift the Spreader to move it. A gentle push is all it takes even when loaded.



### Stainless Steel Chain and Slats

No more rust or corrosion. A lifetime of heavy-duty service.



### Rhino Lining™

Impervious thick polymer coating used to line pickup truck beds, sprayed inside and outside on the Supreme model.



### Stainless Steel Beaters

These beaters will not wear down, rust or corrode. There's nothing else like them.

### Option packages for Models 27+ and 37+

	STANDARD	DELUXE	SUPREME
Industrial Powercoating	✓	✓	✓
T-Link Apron Chain	✓	✓	✓
Dolly Wheel Jack Stand	Model 37	✓	✓
Endgate		✓	✓
Urethane Coated Body		Inside only	✓
Stainless Steel Hardware		Inside only	✓
Stainless Steel Apron			✓
Stainless Steel Beater			✓
Fines Pan			✓

### Pick Your Model

The Millcreek Supreme® is top of the line, with Deluxe next, then our popular Standard models. Pick the accessory package that suits you best.

[MillcreekSpreaders.com](http://MillcreekSpreaders.com)



Millcreek

## **Model 27+**

**(28 cubic feet, or 22.5 bushel capacity) For up to 4 horses**

The world's most popular equine spreader since 1985, the Millcreek Model 27+ blazed the trail to faster and easier stall cleaning. It's ideal for the smaller barn.

Easy, simple and almost effortless to use.

Available in Supreme, Deluxe and Standard configurations. See page 3 for options.

- Ground Drive (forward motion powers spreading action)
- High-traction tires work in almost all conditions
- Industrial powder coat finish
- T-Link apron chain
- No-rot, no-rust poly floor



Millcreek

## **Model 37+**

**(37 cubic feet, or 30 bushel capacity) For up to 6 horses**

A "stretch" version of the Model 27+ that's two feet longer and has all the high performance features you expect from Millcreek. The longer bed means the Model 37+ handles a larger load to make stall cleaning easier for stables with up to 6 horses. Available in Supreme, Deluxe and Standard configurations. See page 3 for options.

- Ground Drive (forward motion powers spreading action)
- High-traction tires work in almost all conditions
- Industrial powder coat finish
- T-Link apron chain
- Jack stand comes standard
- No-rot, no-rust poly floor



Optional  
upper beater  
available

Millcreek

## Model 57

**(56 cubic feet, or 45 bushel capacity) For up to 10 horses**

Now you're stepping up to a small farm-sized manure spreader. Our Model 57 features heavy gauge steel, farm-tough construction and comes with choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors.

- No-rot, no-rust poly floor
- T-Link apron chain
- Rugged farm grade steel construction
- Industrial powder coated finish
- Flared sides for easier loading
- Ag-Traction tires for Ground Drive
- Ribbed tires for PTO



Optional  
upper beater  
available

Millcreek

## Model 77

**(72 cubic feet, or 58 bushel capacity) For up to 20 horses**

The Millcreek Model 77 features heavy gauge steel, farm-tough construction and comes with choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors. It's ideal for large stables, small dairy farms and spreading bulk materials like wood chips.

- No-rot, no-rust poly floor
- T-Link apron chain
- Rugged farm grade steel construction
- Industrial powder coated finish
- Flared sides for easier loading
- Ag-Traction tires for Ground Drive
- Ribbed tires for PTO

“ I've had a Millcreek spreader for years now. It gets the job done fast so I can move on to other things. ”

– David Ballantyne, Farrier and Team Roper with PRCA



Optional upper beater available

## Millcreek **Model 97**

**(109 cubic feet, or 77 bushels) For more than 20+ horses or livestock**

This heavy-duty workhorse is one of the largest spreaders in the Millcreek line up. The Model 97 features heavy gauge steel, farm-tough construction and comes with a PTO-driven power train. The low profile makes for easy loading, and the optional hydraulic end gate is controlled from the tractor seat. Ideal for large stables, small dairy farms, spreading manure in many kinds of livestock operations and for spreading bulk materials like wood chips.

- No-rot, no-rust poly floor
- T-Link apron chain
- Rugged farm grade steel construction
- Industrial powder coat finish
- Flared sides for easier loading
- Ribbed tires for PTO



### **BEST IN CLASS**

Millcreek sets the industry standard for high quality, top value compact spreading equipment. Our Spreaders are engineered and made with the horse lover in mind. Since 1985 we have consistently responded to customer feedback to make Millcreek Spreaders the best in the equine world. Just ask anyone who has one.

### **Our standard Millcreek Warranty is unequalled in the industry**

With a Millcreek Warranty, you are protected against material or mechanical failure due to workmanship on all mechanical parts for two years.\* The optional urethane coating is pro-rated warranted against failure for 10 years.\*\* The standard poly floor is guaranteed against rust, rot, corrosion or other material failure for the lifetime of your spreader.

\* Does not include user failure to follow directions, equipment abuse or damage due to accident.  
\*\* Covers the physical integrity of the coating as a protection against rust and corrosion of the metal it covers. Pro-rated warranty does not include color fading.



“My Millcreek Spreader has been completely maintenance free for two years. It’s easy to use, has improved my pastures, and saved me time and money.”

- Christine Helfrick, Myakka City, Florida



Millcreek

## Model 127

**(140 cubic feet, or 113 bushel capacity) For up to 25+ horses**

This is the top of the Millcreek mountain of professional grade manure spreaders for equine and small dairy applications. You get farm-tough construction with heavy gauge steel and quality craftsmanship you've come to expect with Millcreek products. High sides for extra capacity, reliable PTO power train, and upper beater for high efficiency spreading make Model 127 a perfect solution for busy small farms.

- No-rot, no-rust poly floor
- T-Link apron chain
- Rugged farm grade steel construction
- Industrial powder coated finish
- Flared sides for easier loading
- Standard Upper Beater
- Ribbed tires for PTO

### THE MILLCREEK DIFFERENCE



No other compact equine spreader is made like a Millcreek, even if they happen to look pretty much the same. The difference is the engineering, the materials and the craftsmanship built in to every unit.

Actually, we introduced the labor-saving compact manure spreader to horse lovers all the way back in 1985. Millcreek has been the leading name in quality spreaders ever since.

Another difference is that we use the Millcreek Spreaders we make. We're horse lovers and clean stalls just like you do. So we know first hand what it takes to make the job easier. That adds up to a difference in quality and long term value you just won't find elsewhere.



### MADE IN AMERICA

*If you're looking for a good old fashioned "made in America" product you've found it with a Millcreek Spreader. We take pleasure in making every Millcreek Spreader by hand from the best materials money can buy.*





## Millcreek Model 15

Here is the smallest spreader we make, but it's no toy. The Model 15 is made for entry level buyers who need to squeeze the budget while making stall cleaning faster and easier.

- World's smallest spreader
- Galvanized 14 gauge steel
- Very lightweight and compact
- Low horsepower requirements
- Extremely low loading height
- Optional end gate contains load



## Millcreek Model 22

The Model 22 is a more spacious budget spreader that will give you reliable trouble free service. Millcreek quality craftsmanship is applied to materials that are easier on the wallet.

- World's (almost) smallest spreader
- Low horsepower requirements
- Very lightweight and compact
- Optional end gate contains load
- Galvanized 14 gauge steel

### Millcreek Spreader Buyer's Guide

1 bushel = 1.24 cubic feet

Model	Number of Horses	Capacity	Equivalent Wheelbarrow Loads	Size Comparison		HP Requirement			
15	1-2	8.8 cu. ft.	1.5	21" 42"	84"	12 hp min. 250 cc			
22	1-3	16.2 cu. ft.	2.7	25" 42"	98"	12 hp min. 250 cc			
27 +	1-4	28 cu. ft.	4.7	27.5" 46.5"	93"	15 hp min. 350 cc			
37 +	4-6	37 cu. ft.	6.2	27.5" 46.5"	113"	18 hp min. 450 cc			
57	5-10	56 cu.ft.	9.3	34" 58"	116"	18 hp min. 500 cc +			
77	11-20	72 cu. ft.	12	34" 58"	136"	22 hp min.			
97	21+	109 cu. ft.	18	39" 79"	136"	25 hp min. (1500 lbs.)			
127	25+	140 cu. ft.	24	47.5" 79"	136"	28 hp min. (1800 lbs.)			

Call us at: **1-800-311-1323**  
 525 Reservoir Road, Honey Brook, PA 19344  
**MillcreekSpreaders.com**  
 Email us at [SalesInfo@MillcreekMfg.com](mailto:SalesInfo@MillcreekMfg.com)



Thomas Bros. Equipment Sales, Inc.  
 41764 Red Arrow Hwy.  
 Paw Paw, MI 49079  
 269-657-3735 Fax: 269-657-2110  
 Toll Free 866-214-6135  
[tbrofab@gmail.com](mailto:tbrofab@gmail.com)  
[www.thomasbrosequipmentsales.com](http://www.thomasbrosequipmentsales.com)

# INTRODUCING THE MILLCREEK SS

THE BEST IS

EVEN BETTER



World's Only  
**STAINLESS STEEL**  
Compact Horse Manure Spreader!



[MillcreekSpreaders.com](http://MillcreekSpreaders.com)





The FIRST company to build compact horse manure

## Clean stalls in half the time –

*Now you can take the heavy lifting and hard work out of stall cleaning*



Dread stall cleaning? That heavy wheelbarrow is so hard to push, and even harder to maneuver out of the barn. Then the mighty backbreaking heave to dump it on the pile. That stinky old fly-infested manure pile!

### **FORGET ALL THAT – Here's a better way!**

Your garden tractor, ATV or utility vehicle pulls a Millcreek Spreader right to the stalls. Or, easily push the Spreader using our exclusive Dolly Wheel Jack Stand.™ With this feature you never have to lift the spreader to move it, even when fully loaded. No need to filter out hay or straw because our spreader handles it all.



With the Spreader attached to your vehicle, you drive to the field or pasture, engage the Feather Touch Levers™ and presto, you're recycling natural fertilizer. Better yet, you're done with your stall-cleaning chores in less time – leaving you more time to enjoy your horses!

***NO wheelbarrow!***

***NO aching back!***

***NO MANURE PILES!***

“ I rely on my Millcreek spreader 365 days a year. I chose a Millcreek for the superior design and after more than eight years of daily use, I can vouch for their quality and reliability. The spreader just makes life easier! ”

- **Julie Goodnight**, Clinician and star of  
“Horse Master with Julie Goodnight” on RFD-TV



spreaders. The **ONLY** company to build them out of stainless steel.

We've made the  
**BEST** even **BETTER!**



The Millcreek SS... a true innovation  
in manure spreaders!

What does a stainless steel (Type 304) body mean?  
Often if the body rusts through, it's time for a new  
spreader. **The new Millcreek SS body is guaranteed**

**not to rust through for LIFE!** You'll get worry-free  
operation, heavy-duty service and durable construction.  
There's nothing else like it!

**Lower, flared sides  
for easy loading**  
3" - 7" lower than all other  
spreaders on the market



**Poly-Vinyl  
Floorboards**  
will not ever rot  
or corrode



**Dolly Wheel Jack Stand**  
With this feature you never have to lift  
the Spreader to move it. A gentle push  
is all it takes even when loaded.

**Stainless Steel Beaters**  
Along with stainless steel chains  
and slats, won't wear down,  
rust or corrode

**Compatible with  
a wide range of  
tow vehicles**



**What's missing? Grease points!**

Millcreek is the first and only spreader manufacturer to offer sealed bearings. A little oil on the drive chain every few months and you're good to go. Save time, and wear and tear on your machine!





The FIRST company to build compact horse manure



### Model 27ss

**(28 cubic feet, or 22.5 bushel capacity) For up to 4 horses**

The world's most popular equine spreader since 1985, the Millcreek Model 27 blazed the trail to faster and easier stall cleaning. It's ideal for the smaller barn. Easy, simple and almost effortless to use.

- Ground Drive (forward motion powers spreading action)
- High-traction tires work in almost all conditions
- Type 304 brushed stainless steel construction
- Dolly wheel jack and endgate included
- Stainless steel T-Link apron chain
- No-rot, no-rust poly floor

*"I like Millcreek's quality, the lower sides and the dolly wheel. I was amazed at the customer service, too! Thank you for a fantastic product."*

*Gigi Gilbert Berry, Concord, NC*



### Model 37ss

**(37 cubic feet, or 30 bushel capacity) For up to 6 horses**

A "stretch" version of the Model 27ss that's two feet longer and has all the high performance features you expect from Millcreek. The longer bed means the Model 37ss handles a larger load to make stall cleaning easier for stables with up to 6 horses.

- Ground Drive (forward motion powers spreading action)
- High-traction tires work in almost all conditions
- Type 304 brushed stainless steel construction
- Dolly wheel jack and endgate included
- Stainless steel T-Link apron chain
- No-rot, no-rust poly floor

spreaders. The **ONLY** company to build them out of stainless steel.



Optional upper beater available



Available in PTO

## Model 57ss

**(56 cubic feet, or 45 bushel capacity) For up to 10 horses**

Now you're stepping up to a small farm-sized manure spreader. Our Model 57 features heavy gauge steel, farm-tough construction and comes with choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors.

- Rugged farm grade stainless steel construction
- Stainless steel T-Link apron chain
- Type 304 brushed stainless steel construction
- Flared sides for easier loading
- Ag-Traction tires for Ground Drive
- Ribbed tires for PTO
- No-rot, no-rust poly floor



Optional upper beater available



Available in PTO

## Model 77ss

**(72 cubic feet, or 58 bushel capacity) For up to 20 horses**

The Millcreek Model 77 features heavy gauge steel, farm-tough construction and comes with choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors. It's ideal for large stables, small dairy farms and spreading bulk materials like wood chips.

- Rugged farm grade stainless steel construction
- Stainless steel T-Link apron chain
- Type 304 brushed stainless steel construction
- Flared sides for easier loading
- Ag-Traction tires for Ground Drive
- Ribbed tires for PTO
- No-rot, no-rust poly floor



# The FIRST company to build compact horse manure



Optional upper beater available



**Model 97ss**

## (109 cubic feet, or 77 bushels) For more than 20+ horses or livestock

This heavy-duty workhorse is one of the largest spreaders in the Millcreek line up. The Model 97 features heavy gauge stainless steel, farm-tough construction and comes with a PTO-driven power train. The low profile makes for easy loading, and the optional hydraulic end gate is controlled from the tractor seat. Ideal for large stables, small dairy farms, spreading manure in many kinds of livestock operations and for spreading bulk materials like wood chips.

- Rugged farm grade stainless steel construction
- Stainless steel T-Link apron chain
- Type 304 brushed stainless steel construction
- Flared sides for easier loading
- Ribbed tires for PTO
- No-rot, no-rust poly floor



**“Best thing about my Millcreek spreader: it affords me more time in my day. Anything we can do to get in and out of our two barns is a great help. The spreader just makes life easier!”**

*- Julia MacDougall, Sparkle Plenty Ranch, SanTan Valley, AZ*

## **Our unique Millcreek SS Warranty is unequalled in the industry.**

With a Millcreek Warranty, you are protected against material or mechanical failure due to workmanship on all mechanical parts for 3 years.\*

The standard poly floor is guaranteed against rust, rot, corrosion or other material failure for the lifetime of your spreader.

Millcreek SS stainless steel bodies are also warranted against rust-through for life - unlike any other compact spreader on the market.

\* Does not include user failure to follow directions, equipment abuse or damage due to accident.



spreaders. The **ONLY** company to build them out of stainless steel.



Upper beater  
is standard

## Model 127ss

### (140 cubic feet, or 113 bushel capacity) For up to 25+ horses

This is the top of the Millcreek mountain of professional grade manure spreaders for equine and small dairy applications. You get farm-tough construction with heavy gauge stainless steel and quality craftsmanship you've come to expect with Millcreek products. High sides for extra capacity, reliable PTO power train, and upper beater for high efficiency spreading make Model 127ss a perfect solution for busy small farms.

- Rugged farm grade stainless steel construction
- Stainless steel T-Link apron chain
- Type 304 brushed stainless steel construction
- Standard stainless steel upper beater
- Ribbed tires for PTO
- No-rot, no-rust poly floor

## THE MILLCREEK DIFFERENCE

No other compact spreader is made like a Millcreek, even if they happen to look the same. The difference is the engineering, the materials and the craftsmanship built into every unit.



We actually introduced the first labor-saving compact manure spreader to horse lovers, all the

way back in 1985. Millcreek has been the leading name in quality spreaders ever since.

**When you call or email Millcreek for customer service, you reach us directly.** We are horse people and clean stalls just like you, so

we know you need equipment that works well and lasts a long time. Our goal is to make your job easier!

All of this adds up to a difference in quality and long-term value that you just won't find anywhere else.



# The ONLY company to build compact horse manure spreaders out of stainless steel.

Call us today at 1-800-311-1323

to speak directly with a knowledgeable Millcreek salesperson, and find your authorized Millcreek dealer. We build our spreaders right here in our own factory - our customer service is second to none!



## MADE IN AMERICA

*If you're looking for a good old fashioned "made in America" product you've found it with a Millcreek Spreader. We take pleasure in making every Millcreek Spreader by hand from American stainless steel and the best materials money can buy.*

## Millcreek Spreader Buyer's Guide

1 bushel = 1.24 cubic feet

Model	Number of Horses	Capacity	Equivalent Wheelbarrow Loads	Size Comparison	HP Requirement			
27ss	1-4	28 cu. ft.	4.7		12 hp min. 350 cc			
37ss	4-6	37 cu. ft.	6.2		15 hp min. 450 cc			
57ss	5-10	56 cu.ft.	9.3		18 hp min. 500 cc +			
77ss	11-20	72 cu. ft.	12		22 hp min.			
97ss	21+	109 cu. ft.	18		25 hp min. (1500 lbs.)			
127ss	25+	140 cu. ft.	24		28 hp min. (1800 lbs.)			

Call us at: 1-800-311-1323  
525 Reservoir Road, Honey Brook, PA 19344  
MillcreekSpreaders.com  
Email us at SalesInfo@MillcreekMfg.com



Thomas Bros. Equipment Sales, Inc.  
41764 Red Arrow Hwy.  
Paw Paw, MI 49079  
269-657-3735 Fax: 269-657-2110  
Toll Free 866-214-6135  
tbrofab@gmail.com  
www.thomasbrosequipmentsales.com




A DIFFERENT KIND OF TOPDRESSER

# There's No Turf Material That This Tiger Can't Handle



NFL Football Stadium  
in the Northeast



VERSATILE, POWERFUL, PRECISE, AND RELIABLE

[MillcreekMfg.com](http://MillcreekMfg.com)



## VERSATILE, POWERFUL, PRECISE, AND RELIABLE

The Turf Tiger™ from Millcreek is one tough topdresser. The aggressive Saber Tooth™ spreading mechanism handles wet and "clumpy" material like nothing else.

That means your turf maintenance schedule won't be at the mercy of weather or wet material. Whenever you need to apply topdressing, compost, infield mix or other bulk materials to your turf, with a Turf Tiger you're good to go.

The Turf Tiger Model 4300 has a large 7500 pound capacity and handles 3.2 cubic yards or more, depending on material. And the optional Saber Tooth attachment puts you in complete control of your topdressing schedule. The brush and spinner attachments are also optional on the 4300.

The Turf Tiger Cub Models 3100 and 3200 are perfect for limited budgets. The two sizes have a 1.8 and 2.3 cubic yard capacity.

Here's some really good news. The Turf Tigers sells for less than you would probably expect. But for the basic price you get one of the most versatile turf spreading machines ever produced.

Rugged? You bet. We put the Turf Tiger through every endurance test we could imagine. We tested performance in the field under every adverse condition we could find. All because we want you to be so pleased with your Turf Tiger that you won't want to spread or topdress with any other machine. It's that good.



INFIELD MIX



COMPOST



TOPDRESSING

The exclusive Saber Tooth Attachment spreads any turf material wet or dry.

# HOW WET IS WET?

## A VISUAL DEMONSTRATION

In setting out to prove how well the Turf Tiger™ with the Saber Tooth™ attachment spreads wet material, we went to extremes. We soaked a load of sand and a separate load of compost until water ran out the bottom.

Dry material is hydrophobic, it repels water. So we mixed the material thoroughly until it was soaked through and through to provide a fair test. No dry pockets of material hiding in there. The photos below show how we did it, and the results.

### SAND



*We loaded dry sand into the Turf Tiger, then let the water flow.*



*We made sure the entire load was wet through and through.*



*For demonstration purposes, we spread the wet sand on a clean blacktop surface.*



*The wet sand was applied uniformly across the blacktop, an amazing feat.*

### COMPOST



*Wet compost can be one of the most difficult materials to spread on turf*




*For a good test, we made sure the compost was thoroughly soaked.*



*The load was so wet, it stuck to the bucket until we shook it free.*



*Sure enough, the Turf Tiger spreads soaking wet compost with no problem.*



## SPREAD WET SAND, LIGHT OR HEAVY

The Turf Tiger spreads the wettest sand in a uniform 12' wide pattern, from a very light covering up to the heaviest coverage you'll ever need. You can see how the edges have dried on this blistering 95° day on a blacktop surface. The primary pattern remains discernably wet.



# Model 4300

## 7500 lb Capacity / 3.2 Cubic yards

AVAILABLE IN TRACTOR HYDRAULIC OR PTO HYDRAULIC DRIVE



## New Advantages for Turf Professionals

The Turf Tiger spreads wet material like no other machine. It spreads a path wider than the tires to help minimize travel over the same turf area. The wider spread pattern means faster applications and fewer trips across the turf.

There are four ways to control spreading: belt speed, attachment speed, endgate opening, and ground speed.

Separate belt and attachment speed controls give you infinite settings for maximum operating flexibility.

### No other topdresser spreads as many kinds of material, wet or dry

- Sand/peat topdressing
- Wet sand
- Compost
- Infield mixes
- Soil amendments
- Infield conditioners
- Soil mixtures




*Above is the Model 4300, with extension sides yielding a capacity of 5.25 yards*

## Standard Features



- Powerful dual hydraulic system operates from your choice of tractor hydraulic system or PTO hydraulic system.
- Flotation turf tires exert only 14 PSI when the Turf Tiger is fully loaded with 7500 lbs., and provide wide track stability with heavy loads.
- Self-aligning "V-Track" System keeps the material delivery belt aligned at all times.
- Rubber coated drive rollers prevent belt slippage.



- Dual hydraulic controls provide infinite speed adjustments for belt and attachments
- The Turf Tiger has numerous time and labor saving maintenance features. Your mechanics will love it.

## Optional Attachments

### SABER TOOTH



The patent pending Saber Tooth attachment is optional equipment on the Turf Tiger 4300. It is remarkably powerful, yet applies a consistent and uniform spreading pattern that ranges from 8' to 12' wide, depending on the material.



### SPINNER



Many sports turf professionals prefer topdressing frequently with light applications. The

Turf Tiger dual spinner attachment is ideal for broadcast spreading in a light coverage pattern up to 35' wide. Changing attachments takes less than 5 minutes.

### BRUSH

The 42" wide Turf Tiger brush attachment provides precision drop spreading capabilities.



## The smaller, versatile Turf Tiger Models for limited budgets

### MODEL 3100

3000 LB CAPACITY / 1.8 CUBIC YARDS / PTO MECHANICAL DRIVE



- 89.5 inches long
- 37 inches wide

## The fastest, most affordable high-capacity topdresser in sports turf today



*The loading flares simplify loading, add to the capacity and help prevent spills during transport.*

Topdress twice as fast without compromising precision. Exclusive Millcreek Saber Tooth technology gives you speed, accuracy and versatility unlike any other topdresser on the market today. There's nothing else as affordable for limited budgets at schools, park and recreation departments, and golf courses. Turf Tiger Cubs come in two sizes, 1.8 and 2.3 cubic yard capacity.

Turf Tiger Cubs are user friendly and more versatile than any other equipment of its kind thanks to the remarkable Saber Tooth beater that lets you apply all kinds of bulk material with precision, power and speed.

- Sand/peat topdressing
- Synthetic turf infill
- Infield mixes
- Lime
- Compost
- Wood chips
- Grass clippings
- De-icing materials

# MODEL 3200

3750 LB CAPACITY / 2.3 CUBIC YARDS / PTO MECHANICAL DRIVE

- 114 inches long
- 37 inches wide



***"One terrific machine!  
I did the job in half the time."***

Charlie Meeks, TurboLink International  
Clearwater, FL

## There is no better value in sports turf topdressing equipment




### **Saber Tooth Beater**

Exclusive technology provides a unique combination of spreading precision and speed.



### **Drive System**

Simple heavy duty drive system is built for years of trouble free service.



### **Apron Chain**

Heavy duty 3/8" T-Link apron chain.



### **Metering Gate**

Easily adjusts for high volume material flow to the Saber Tooth beater.

### **The Turf Tiger Cub features:**

- Choice of 1.8 or 2.3 cu. yd. capacity
- Spreads up to 8' wide
- Application depth from a dusting up to 1" in one pass
- Spreads any material even if wet and clumpy
- Saber Tooth beaters never clog
- Ideal for heavy applications



### **OPTIONAL Engine Drive**

13hp Honda engine with drive remote control electric clutch

**Model 3100**

- 3000 lb Capacity
- 1.8 Cubic yards
- PTO

**Model 3200**

- 3570 lb Capacity
- 2.3 Cubic yards
- PTO

**Model 4300**

- 7500 lb Capacity
- 3.2 Cubic yards
- Hydraulic & PTO



SPECIFICATIONS	MODEL 3100	MODEL 3200	MODEL 4300
Capacity, Struck*	1.0 cubic yd.	1.3 cubic yd.	2.2 cu. yd. / 3.85 cu. yd. with extension sides
Capacity, Heaped	1.8 cubic yd.	2.3 cubic yd.	3.2 cu. yd. / 5.25 cu. yd. with extension sides
Capacity, Weight	3000 lbs.	3750 lbs.	7500 lbs.
Body Length	89.5 inches	114 inches	84 inches
Body Width	37 inches	37 inches	48 inches
Body Height	17.5 inches	17.5 inches	24 inches
Overall Length	11 ft.	13 ft.	12'8"
Overall Width	70 inches	70 inches	93 inches
Overall Height	51 inches	51 inches	73 inches
Loading Height	43 inches	43 inches	65 inches
Construction	All steel (13-gauge) poly floor	All steel (13-gauge) poly floor	11-gauge steel body on heavy steel chassis
Apron Conveyor	3/8 in. T-Rod chain	3/8 in. T-Rod chain	3/16" (thick) black PVC belt
Tires	Turf (26.4 x 14 x 12, 4-ply) Ground Pressure, loaded 18 PS	Turf (26.4 x 14 x 12, 4-ply) Ground Pressure, loaded 19 PSI	Turf (41/18LL-16.1, 6-ply) Ground Pressure, loaded 14 PSI
Beater Bearings	Sealed ball bearings	Sealed ball bearings	Sealed ball bearings
Beater Drive	Gear box / Chain	Gear box / Chain	Hydraulic motor
Apron Drive	Gear box / Chain reduction	Gear box / Chain reduction	Hydraulic motor / Chain reduction
Body Finish	Powder coating	Powder coating	Powder coating
Weight (with tires)	1140 lbs.	1300 lbs.	2180 lbs.
Tractor Weight and HP required **	2000 lbs. and 25 HP & greater	2250 lbs. and 30 HP & greater	35 HP & greater, <i>tractor weight of must be at least 50% of gross loaded weight</i>

\*NOTE 1: Struck capacity is level to the top of the side sheets (does NOT include the loading flares).

\*\*NOTE 2: Tractor weight specifications for LEVEL terrain. For SLOPING terrain, increase tractor weight to 100% of load weight.



Thomas Bros. Equipment Sales, Inc.  
41764 Red Arrow Hwy.  
Paw Paw, MI 49079  
269-657-3735 Fax: 269-657-2110  
Toll Free 866-214-6135  
tbrofab@gmail.com  
www.thomasbrosequipmentsales.com

Call us at: **1-800-311-1323**

525 Reservoir Road, Honey Brook, PA 19344

**MillcreekMfg.com**

Email us at **SalesInfo@MillcreekMfg.com**

Turf Tiger™ and Saber Tooth™ are trademarks of Millcreek Manufacturing Company. Millcreek reserves the right to change specifications at any time without notice. ©2014 Millcreek Manufacturing Co.



# Millcreek Spin Groomer™

*The incredible rotary harrow for improving and maintaining equestrian arenas and infields on softball and baseball fields. Makes it easy to produce an ideal surface.*



*"Our Spin Groomer is terrific. It gives us consistently good footing so our horses, teachers and riders can concentrate on riding and learning."*

**Nothing beats the Spin Groomer for providing consistent footing for equestrian arenas.**

- Levels low spots, such as around the perimeter.
- Works in both indoor and outdoor arenas
- Works underneath jumping standards without having to move them
- Available rake leaves a smooth surface
- Unique replaceable tines penetrate from 1" to 4" deep, according to the requirement
- Works on all standard 3-point compact tractor hitches that lift and lower the unit on demand
- Choice of 3 sizes, 5, 6, and 7 ft. diameter
- Rugged, very durable construction
- Replaceable hardened-steel tines

*"We love our Spin Groomer. It really loosens our infield to improve the drainage, and the rake smooths it into playable condition."*

**The Spin Groomer is ideal for conditioning softball and baseball infields.**

- Loosens compacted areas such as around homeplate, bases and baselines.
- Improves drainage and the ability of the infield to absorb water
- Levels low spots like magic
- Available rake leaves a smooth surface
- Unique replaceable tines penetrate from 1" to 4" deep, according to the requirement
- Works on all standard 3-point compact tractor hitches that lift and lower the unit on demand
- Choice of 3 sizes, 5, 6, and 7 ft. diameter
- Rugged, very durable construction
- Replaceable hardened-steel tines

*Whatever your application, when it comes to creating and maintaining an ideal surface for arenas and infields, there's nothing like the Spin Groomer to make it easier.*



5' diameter 6' diameter 7' diameter

### Your choice of 3 sizes

Millcreek Spin Groomers come in 5, 6 and 7 foot diameter models. There's one perfect for your needs. You'll get best results when the Spin Groomer is 1 foot to 2 feet wider than the overall tractor width.



### Spins as you pull it

The Spin Groomer is easy to use. No PTO required. Just drop it into position and go. You set the angle of attack and let the Spin Groomer do the rest. It spins round and round to eliminate ruts and smooth uneven surfaces, and loosen hard surfaces.




### Bolt-on Tines

Tines on the Millcreek Spin Groomer are hardened steel for longer wear life. The tines bolt on, so when it comes time to replace them, it's just a few turns of the wrench and you're ready to go.



### Attachable Rake

The new Spin Groomer Rake smooths the surface behind the more aggressive action of the Spin Groomer to leave the surface ready for riding - or in the case of softball and baseball infields, ready for play. Also ideal for pasture maintenance.



Call or visit our website today

**1-800-311-1323**  
MillcreekMfg.com

YOUR LOCAL MILLCREEK DEALER

Thomas Bros. Equipment Sales, Inc.  
41764 Red Arrow Hwy.  
Paw Paw, MI 49079  
269-657-3735 Fax: 269-657-2110  
Toll Free 866-214-6135  
tbrofab@gmail.com  
www.thomasbrosequipmentsales.com

# Millcreek Core Plug Aerators



**Sports Turf**



**Landscaping**



**Golf Courses**



**Grounds Maintenance**

Affordable, well-built aerators with extra features to help you get the job done better.



MillcreekMfg.com

# Millcreek Heavy Duty Commercial Aerators

## Affordable. Rugged. Built to Last.


- Versatile... There's a model that's just right for your application. Choose from three frame sizes, two hitch styles, two aeration options (spoons, for standard core plug aeration, or slicing blades).
- Spoon Wheels are mounted in pairs for maximized penetration with easier turning and minimized turf damage. Replace, when needed, one pair at a time.
- Heavy Duty 1-1/2" solid square bar forms the main frame.
- Option Slicing Blades are available loosening and aerating turf without pulling cores.
- Sturdy Protector Shield fully encloses the spoon wheels on top/front/back for increased safety.

	MODEL 420	MODEL 630	MODEL 840
<b>Height</b>	24"	24"	24"
<b>Length</b>	23.5"	23.5"	23.5"
<b>Width</b>	42"	63"	84"
<b>Weight</b>	300 lbs.	410 lbs.	480 lbs.
<b>Coring Width</b>	39"	60"	81"
<b># Spoon Wheels</b>	8 Std.	12 Std	16 Std
<b># Spoons (tines)</b>	48 Std	72 Std	96 Std
<b>Coring Pattern</b>	5" x 9.5" Std	5" x 9.5" Std	5" x 9.5" Std
<b>Tractor req'd*</b>	20 hp	26 hp	34 hp

\*3-Point Hitch must have 500 lb. lifting capacity. Do not exceed manufacturer's recommended lifting capacity for 3-Point Hitch.

## General Aerator Specifications

- Construction:** Welded steel, 1.5" x 1.5" solid square bar
- Available Hitches:** Cat. 1 3-Point OR Tow-Behind drawbar hitch
- Main Shaft:** 1" diameter
- Aerating Wheels:** All-steel construction, temper-hardened spoons
- Spoon Wheel Bearings:** Greasable, oil-impregnated for longer life
- Spoons:** 3/4" closed standard, 6 spoons per wheel
- Coring Depth:** Up to 4", depending on soil conditions
- Protector Shield:** Heavy steel mesh, standard on all models



Call or visit our website today  
**1-800-311-1323**  
 MillcreekMfg.com

Thomas Bros. Equipment Sales, Inc.  
 41764 Red Arrow Hwy.  
 Paw Paw, MI 49079  
 269-657-3735 Fax: 269-657-2110  
 Toll Free 866-214-6135  
 tbrofab@gmail.com  
 www.thomasbrosequipmentsales.com